



2IIVHFWDNV



2IIV HF WDNV

2IIVHFWDNV
OLTLGLWH

2IIVHDFPLVODWHGFWDNVDHGHVHLHGDGSSHGWWDVSDGVWHOLTGLGFHLF
DVHVIIVDGVH

LVHSHVWHGDDWHIIIVHEDVHVDOWH1HLDVWVWVWDWLDVWDHWDNVIOITLG
LWH :H DH WHHIIH DEOH W D NHHS D L VHLFH OHHO LWH GHOLHLHV DG FD
ILOOWDVSWEOHWDNVFWDLHVLWLVWGHOLHWHLPV

:HDHIIHFWDNVDDLDEOHIVWDGOWHPGHOLHLHV

)DPHGDOLIWLHTLSPHWDHFHWLILHGDFGLW(119DGWHFWDLHFP SOLHVLW
WHIOOLHTLHPHWVDGHODWLV(1DG(1


(WHDOGLPHVLV

	2438 mm
+HLW	2591 mm

:HLW	Gross:	12000 kg
	Tare:	4200 kg
	Payload:	7800 kg
	Capacity:	8064 l
	ODFDSDFLWIOLTLGLWHN	

3HVH	Max:	6 bar/87 psi
	Transport:	ED SVL

HFWL	HFLL	ACME NI 150
	HFLLW	0(1,
	2WHFHFVLV	
	GHPDG	



Supply chain Linde Region Europe North.

Inner shell Stainless steel.

Outer Jacket Stainless steel.

Transportation details Handled by forklifts and crane.

Insulation Vacuum.

Production year 2014.

Manufacturer M1 Engineering Ltd.

Fast and reliable deliveries Since we are present at every major offshore bases along the Norwegian coast we can promise fast and efficient deliveries to all our offshore customers along the Norwegian coast.

A safe choice Customer's demands on the gas supplier are high and encompass far more than simply the gases. Their specifications also cover gas-related equipment, ability to deliver, logistics, training and services. Well planned, binding cooperation provides safety and efficiency, which casual suppliers can not offer. AGA aims to help customers reduce costs and improve all operations related to gases and associated equipment.